

Tech specs

# MountCam A1

164 mm wall mount for a wired security IP camera



---

## Compatibility

BulletCam >

BulletCam HL >

DomeCam Mini >

DomeCam Mini HL >

TurretCam >

TurretCam HL >

---

## Key features

### Strap slots

to secure the mount to a pole

### Holding screw

to secure the mount to a bracket

## Features for easy installation

- pre-drilled fixing points
- space for organizing cables inside the mount
- captive screws

## Recommendations

The accessory is designed for indoor and outdoor use.

MountCam A1 is sold separately from Ajax cameras.

---

## Product

### Dimensions


86 × 123 × 164 mm

### Weight

480 g

### Operating temperature range

from -40 °C to +60 °C



---

## Color

Black

White



---

## Complete set

MountCam A1

Installation template

Installation kit

Quick start guide

## Certification and compliance with standards



MountCam A1



## Additional information

[Compliance with standards](#)

[User manual](#)

[Learn more >](#)

[Learn more >](#)

## Warranty

24 months

[Learn more >](#)

## Subscribe

Subscribe to our emails about secure life. No spam.

[Subscribe](#)

## Request extra help

✉ [support@ajax.systems](mailto:support@ajax.systems)

📍 [@AjaxSystemsSupport\\_Bot](#)

💬 [Send a request](#)



Rating 4.8

4,500,000

people worldwide under Ajax protection

💡 [Suggest a feature](#)





[Products](#)

[Software](#)

Intrusion protection  
Video surveillance  
Fire and life safety  
Comfort and automation  
All products  
Services  
System integrations  
Ajax Ready products  
Fibra wired protocol  
Ajax radio protocols

Ajax Security System  
Ajax PRO: Tool for Engineers  
Ajax Desktop  
Ajax PRO Desktop  
Ajax TV  
Ajax Translator PRO  
Ajax Cloud Signaling  
Ajax Media Player  
Scenarios



## Solutions

Customer stories  
Solutions by facility type  
Commercial fire detection and alarm system  
Wireless Grade 3 solution  
Video surveillance solution  
Integration with Yale smart locks  
Upgrades and retrofits  
Why Ajax  
How it works

## Support

Manuals and articles  
Compliance with standards

## Tools

Ajax device compatibility  
CMS software compatibility  
Ajax Services availability  
Video storage calculator  
Video device calculator  
Battery life calculator  
Radio communication range calculator  
Switches and outlets configurator  
Fibra power supply calculator  
All web tools

## Monitoring solutions and integrations

Intrusion alarm monitoring  
Video monitoring and visual alarm verification  
Audio alarm verification

## Company

## For partners

[Blog](#)

[About us](#)

[Press page](#)

[Events](#)

[Career](#)

[Ajax Next](#)

[Reviews and feedback](#)

[For partners](#)

[Ajax Academy](#)

[Partner Portal](#)

[🇷🇴 România](#) [Privacy policy](#) [Report a vulnerability](#) [GDPR White Paper](#) [NDAA Statement](#) [Cookie policy](#) [Anti-Spam Policy](#)

[Ajax Services T&C](#) [End user agreement](#) [Warranty](#)

© 2026 AJAX SYSTEMS CH. All rights reserved