

Metal conduit clip

PFT & DFT

Advantages



PFT single



DFT double

- Simple and quick mounting option for fire alarm cables, cables or pipes
- Very fast installation of electric cables, flexible and rigid cable conduits, water and heating pipes
- Support rib for high stability of the clip and secure hold



Approvals and certificates




when combining approved
accessories, XHA-nails
(22-38 mm) and FORCE ONE(+)



see assessment



Mounting



Metal conduit clip PFT & DFT



PFT

Type	Art-No	Diameter Ø [mm]	Length L [mm]	Width B [mm]	Height H [mm]	Pipe-Ø				€/100 pcs	 [pcs]	 [pcs]
						Copper [mm]	Plastic [mm]	Cables [mm]				
PFT 5	95PFT	4,5	24	17	3,8	–	–	1x1,5 / 2x0,75	●		100	1.800
PFT 6	96PFT	6	26	17	5,5	6	–	1x1,5 / 1x2,5	●		100	1.800
PFT 7	97PFT	6,5	26,5	17	6	–	–	1x1,5 until 1x6	●		100	1.800
PFT 8	98PFT	7,5	27,5	17	7	8	–	1x6 / 1x10	●		100	1.800
PFT 10	910PFT	9,5	29,5	17	9	10	–	1x16 until 4x1,5	●		100	1.800
PFT 12	912PFT	11,5	31,5	17	11,5	12	–	1x25 until 4x2,5	●		100	900
PFT 14	914PFT	13,5	33,5	17	13,5	15	–	4x6	●		100	900
PFT 16	916PFT	15,5	34,5	17	15,0	–	16	–	●		100	900
PFT 18	918PFT	17,5	36,5	17	17,0	18	–	–	●		100	900
PFT 20	920PFT	19,5	38,5	17	18,5	–	20	–	●		100	900
PFT 22	922PFT	21,5	40,5	17	20,5	22	–	–	●		100	900
PFT 25	925PFT	24,5	43,5	17	23,5	–	25	–	●		100	900
PFT 28	928PFT	27,5	46,5	17	26,5	28	–	–	●		100	900
PFT 32	932PFT	31,5	50,5	17	30,5	35	32	–	●		100	600
PFT 40	940PFT	39,5	58,5	17	38,5	42	40	–	●		50	450
PFT 50	950PFT	49,5	68,5	17	48,5	–	50	–	●		50	450

Compatible gas nailers can be found on page 247



DFT

Type	Art-No	Diameter Ø [mm]	Length L [mm]	Width B [mm]	Height H [mm]	Pipe-Ø				€/100 pcs	 [pcs]	 [pcs]
						Copper [mm]	Plastic [mm]	Cables [mm]				
DFT 5	95DFT	4,5	34	17	3,8	–	–	1x1,5 / 2x0,75	●		100	1.800
DFT 6	96DFT	6	37	17	5,5	6	–	1x1,5 / 1x2,5	●		100	900
DFT 7	97DFT	6,5	37	17	6	–	–	1x1,5 until 1x6	●		100	1.800
DFT 8	98DFT	7,5	40	17	7	8	–	1x6 / 1x10	●		100	900
DFT 10	910DFT	9,5	44	17	9	10	–	1x16 until 4x1,5	●		100	900
DFT 12	912DFT	11,5	48	17	11,5	12	–	1x25 until 4x2,5	●		100	900
DFT 16	916DFT	15,5	56	17	15	–	16	–	●		100	600
DFT 18	918DFT	17,5	60	17	17	18	–	–	●		100	600
DFT 20	920DFT	19,5	64	17	18,5	–	20	–	●		50	450
DFT 22	922DFT	21,5	68	17	20,5	22	–	–	●		50	450
DFT 25	925DFT	25,5	74	17	23,5	–	25	–	●		50	450
DFT 28	928DFT	27,5	80	17	26,5	28	–	–	●		50	450
DFT 32	932DFT	32	88	17	30	35	32	–	●		50	300

Compatible gas nailers can be found on page 247

Compatibility CELO gas nailer accessories

 Zubehör		 when combining approved accessories, XHA-nails (22-38 mm) and FORCE ONE(+)	CELO gas nailers FORCE ONE+  FOX 		Suitable for  concrete screw BTS4
XHA		•	✓	✓	X
TKA			✓	✓	X
GASFONE			✓	X	X
GASA FOX			X	✓	X
ABT		•	✓	✓	X
UT		•	✓	✓	X
TPC/TPLC			✓	✓	X
NCC			✓	✓	X
WSC		•	✓	✓	X
WDC		•	✓	✓	X
TBB		•	✓	✓	X
NTBB			X	X	X
TBL		•	✓	✓	X
TBD			✓	✓	X
TBM			✓	✓	X
FP		•	✓	✓	X
FPD		•	✓	✓	X
CH-N			✓	✓	X
CHS		•	✓	✓	✓
PFT		•	✓	✓	✓
DFT		•	✓	✓	✓
ATR M6		•	✓	✓	X
ATR M8		•	✓	✓	X
ATV		•	✓	✓	X
ATVS 8		•	✓	✓	X
AAT		•	✓	✓	X
AW			✓	✓	X
AP			✓	✓	X
APK			✓	✓	X
TXS			✓	✓	X
CA			✓	✓	X